

July 28, 2022

Contents

Clinical Profile Documentation	2
Problems	2
Additions	2
Removals	3
Charge Capture	3
Lab Analytes & Panels	7
Additions	7
Medications	7
Additions	7
Updates	8
Regimen Library	8
Additions	8
Updates	8
Renames	9
Research Regimens	9
Additions	9
Updates	9
Billing & HCPCS Codes	11
Updates	11

Clinical Profile Documentation

Problems

This release contains additional **TNM** values, and **Staging** selections for **Breast Cancer** to treat the new HER-2/Neu Status, '**Low**' status as Negative within the staging calculator until it is addressed by AJCC.

The new content does not affect previous charting documented on existing patients. All previous charting is brought forward during a subsequent visit, just as it did prior to this release.

Additions

The **Problems > Add Details** area is updated with applicable documentation points for the following diagnoses.

Breast Cancer HER-2/Neu status now contains "**Low**" inserted after positive and prior to negative. To provide clarity, **definitions** are present for each of the existing and new selections.

- Positive: IHC 3+ or IHC 2+/ISH-positive
- Low: IHC 1+ or IHC 2+/ISH-negative
- Negative: IHC 0
- Unknown

BRAF Mutation is now available for documentation for **Fallopian Tube Cancer** and **Ovarian and Primary Peritoneal Cancer** with the following options:

- BRAF V600E (Mutated)
- Wild-type
- Mutations
- Unknown

Myelofibrosis has been updated to include new risk categories:

MIPSS-70 Risk Category

- Low (0 – 1 point)
- Intermediate-1 (2 - 3 points)
- Intermediate-2 (4 points)
- High (5 or greater points)

MIPSS-70+ v2.0 Risk Category

- Very Low (0 points)

- Low (1 – 2 points)
- Intermediate-1 (3 points)
- Intermediate-2 (4 points)
- High (5 – 8 points)
- Very High (9 or greater points)

MYSEC-PM Risk Category

- Low (Less than 11 points)
- Intermediate-1 (11 – 13 points)
- Intermediate-2 (14 – 15 points)
- High (16 or greater points)
- Unknown

Removals

Myelofibrosis no longer contains documentation for **IPSS-Marrow Blasts (%)**, **IPSS-Karyotype**, **IPSS-Cytopenia**, and **IPSS Score**.

Charge Capture

The following items are available for documentation in **Problems** and appear on the **Charge Capture Report (CCR)**. Additional ICD-10 codes may display to present the surrounding nodes.

Problem	ICD-10 Codes
Administration of Respiratory Syncytial virus immune globulin, human (procedure)	Z29.11 Encounter for prophylactic immunotherapy for respiratory syncytial virus (RSV)

Epilepsy (disorder)	<p>G40.001 Localization-related (focal) (partial) idiopathic epilepsy and epileptic syndromes with seizures of localized onset, not intractable, with status epilepticus</p> <p>G40.009 Localization-related (focal) (partial) idiopathic epilepsy and epileptic syndromes with seizures of localized onset, not intractable, without status epilepticus</p> <p>G40.011 Localization-related (focal) (partial) idiopathic epilepsy and epileptic syndromes with seizures of localized onset, intractable, with status epilepticus</p> <p>G40.019 Localization-related (focal) (partial) idiopathic epilepsy and epileptic syndromes with seizures of localized onset, intractable, without status epilepticus</p> <p>G40.101 Localization-related (focal) (partial) symptomatic epilepsy and epileptic syndromes with simple partial seizures, not intractable, with status epilepticus</p> <p>G40.109 Localization-related (focal) (partial) symptomatic epilepsy and epileptic syndromes with simple partial seizures, not intractable, without status epilepticus</p> <p>G40.111 Localization-related (focal) (partial) symptomatic epilepsy and epileptic syndromes with simple partial seizures, intractable, with status epilepticus</p> <p>G40.119 Localization-related (focal) (partial) symptomatic epilepsy and epileptic syndromes with simple partial seizures, intractable, without status epilepticus</p> <p>G40.201 Localization-related (focal) (partial) symptomatic epilepsy and epileptic syndromes with complex partial seizures, not intractable, with status epilepticus</p> <p>G40.209 Localization-related (focal) (partial) symptomatic epilepsy and epileptic syndromes with complex partial seizures, not intractable, without status epilepticus</p> <p>G40.211 Localization-related (focal) (partial) symptomatic epilepsy and epileptic syndromes with complex partial seizures, intractable, with status epilepticus</p> <p>G40.219 Localization-related (focal) (partial) symptomatic epilepsy and epileptic syndromes with complex partial seizures, intractable, without status epilepticus</p> <p>G40.301 Generalized idiopathic epilepsy and epileptic syndromes, not intractable, with status epilepticus</p> <p>G40.309 Generalized idiopathic epilepsy and epileptic syndromes, not intractable, without status epilepticus</p> <p>G40.311 Generalized idiopathic epilepsy and epileptic syndromes, intractable, with status epilepticus</p> <p>G40.319 Generalized idiopathic epilepsy and epileptic syndromes, intractable,</p>
---------------------	--

Problem	ICD-10 Codes
	<p>without status epilepticus</p> <p>G40.401 Other generalized epilepsy and epileptic syndromes, not intractable, with status epilepticus</p> <p>G40.409 Other generalized epilepsy and epileptic syndromes, not intractable, without status epilepticus</p> <p>G40.411 Other generalized epilepsy and epileptic syndromes, intractable, with status epilepticus</p> <p>G40.419 Other generalized epilepsy and epileptic syndromes, intractable, without status epilepticus</p> <p>G40.501 Epileptic seizures related to external causes, not intractable, with status epilepticus</p> <p>G40.509 Epileptic seizures related to external causes, not intractable, without status epilepticus</p> <p>G40.801 Other epilepsy, not intractable, with status epilepticus</p> <p>G40.802 Other epilepsy, not intractable, without status epilepticus</p> <p>G40.804 Other epilepsy, intractable, without status epilepticus</p> <p>G40.811 Lennox-Gastaut syndrome, not intractable, with status epilepticus</p> <p>G40.812 Lennox-Gastaut syndrome, not intractable, without status epilepticus</p> <p>G40.814 Lennox-Gastaut syndrome, intractable, without status epilepticus</p> <p>G40.821 Epileptic spasms, not intractable, with status epilepticus</p> <p>G40.822 Epileptic spasms, not intractable, without status epilepticus</p> <p>G40.823 Epileptic spasms, intractable, with status epilepticus</p> <p>G40.834 Dravet syndrome, intractable, without status epilepticus</p> <p>G40.89 Other seizures</p> <p>G40.901 Epilepsy, unspecified, not intractable, with status epilepticus</p> <p>G40.909 Epilepsy, unspecified, not intractable, without status epilepticus</p> <p>G40.911 Epilepsy, unspecified, intractable, with status epilepticus</p> <p>G40.919 Epilepsy, unspecified, intractable, without status epilepticus</p> <p>G40.A09 Absence epileptic syndrome, not intractable, without status epilepticus ICD10CM</p> <p>G40.A19 Absence epileptic syndrome, intractable, without status epilepticus</p> <p>G40.B09 Juvenile myoclonic epilepsy, not intractable, without status epilepticus</p> <p>G40.B11 Juvenile myoclonic epilepsy, intractable, with status epilepticus</p> <p>G40.B19 Juvenile myoclonic epilepsy, intractable, without status epilepticus</p>
Human immunodeficiency virus infection (disorder)	B20 Human immunodeficiency virus [HIV] disease

Problem	ICD-10 Codes
Peritonitis (disorder)	<p>K65.0 Generalized (acute) peritonitis</p> <p>K65.1 Peritoneal abscess</p> <p>K65.2 Spontaneous bacterial peritonitis</p> <p>K65.3 Choleperitonitis</p> <p>K65.4 Sclerosing mesenteritis</p> <p>K65.8 Other peritonitis</p> <p>K65.9 Peritonitis, unspecified</p>
Sepsis (disorder)	<p>A40.0 Sepsis due to streptococcus, group A</p> <p>A40.1 Sepsis due to streptococcus, group B</p> <p>A40.3 Sepsis due to Streptococcus pneumoniae</p> <p>A40.8 Other streptococcal sepsis</p> <p>A40.9 Streptococcal sepsis, unspecified</p> <p>A41.01 Sepsis due to Methicillin susceptible Staphylococcus aureus</p> <p>A41.02 Sepsis due to Methicillin resistant Staphylococcus aureus</p> <p>A41.1 Sepsis due to other specified staphylococcus</p> <p>A41.2 Sepsis due to unspecified staphylococcus</p> <p>A41.3 Sepsis due to Hemophilus influenzae</p> <p>A41.4 Sepsis due to anaerobes</p> <p>A41.50 Gram-negative sepsis, unspecified</p> <p>A41.51 Sepsis due to Escherichia coli [E. coli]</p> <p>A41.52 Sepsis due to Pseudomonas</p> <p>A41.53 Sepsis due to Serratia</p> <p>A41.59 Other Gram-negative sepsis</p> <p>A41.81 Sepsis due to Enterococcus</p> <p>A41.89 Other specified sepsis</p> <p>A41.9 Sepsis, unspecified organism</p> <p>A42.7 Actinomycotic sepsis</p> <p>R65.10 Systemic inflammatory response syndrome (SIRS) of non-infectious origin without acute organ dysfunction</p> <p>R65.11 Systemic inflammatory response syndrome (SIRS) of non-infectious origin with acute organ dysfunction</p> <p>R65.20 Severe sepsis without septic shock</p> <p>R65.21 Severe sepsis with septic shock</p> <p>T81.44XA Sepsis following a procedure, initial encounter</p> <p>T81.44XD Sepsis following a procedure, subsequent encounter</p> <p>T81.44XS Sepsis following a procedure, sequela</p>

Problem	ICD-10 Codes
Vomiting (disorder)	R11.10 Vomiting unspecified R11.11 Vomiting without nausea R11.12 Projectile vomiting R11.13 Vomiting of fecal matter R11.14 Bilious vomiting R11.15 Cyclical vomiting syndrome unrelated to migraine R11.2 Nausea with vomiting, unspecified

Lab Analytes & Panels

Additions

- Cholesterol panel, pleural fluid
- Cholesterol, pleural fluid, mg/dL
- CMI666-Her2/Neu FISH panel
- ERBB2 (Her2/Neu)
- Histoplasmosis H band
- Histoplasmosis M band
- Invitae Atypical Hemolytic Uremic Syndrome and Thrombotic Microangiopathies panel
- Invitae Atypical Hemolytic Uremic Syndrome and Thrombotic Microangiopathies result
- Invitae Chronic Pancreatitis panel
- Invitae Chronic Pancreatitis result
- Invitae Familial Erythrocytosis panel
- Invitae Familial Erythrocytosis result
- Invitae Inborn Errors of Immunity and Cytopenias panel
- Invitae Inborn Errors of Immunity and Cytopenias result
- Invitae Monogenic diabetes panel
- Invitae Monogenic diabetes result
- MOG Ab CBA, serum
- MOG Ab w/ Reflex to titer panel
- Tempus genetics report

Medications

Additions

- Abelacimab invest IV
- Abelacimab invest Subcutaneous
- GM-CSF (part of GLSI-100) invest Intradermal
- PreviDent 5000 Dry Mouth 1.1 % dental paste
- GP2 (part of GLSI-100) invest Intradermal
- HPN424 invest Subcutaneous
- INCAGN02385 invest IV
- INCAGN02390 invest IV
- MRTX1719 invest Oral
- Placebo IV

- SPYK04 invest Oral
- W_pro1 invest IV

Updates

Medication	Update
Cemiplimab invest (REGN2810 invest IV)	New dose Unit available: <ul style="list-style-type: none"> • mg
Nitroglycerin Sublingual	New default Form available: <ul style="list-style-type: none"> • 0.4 mg tablet, sublingual
TT-00420 invest Oral	New Form(s) available: <ul style="list-style-type: none"> • 4 mg tablet • 5 mg tablet • 6 mg tablet

Regimen Library

The Collaborative Care Committee recently voted to **APPROVE** the addition of Venous Thromboembolism (VTE) Prophylaxis into Multiple Myeloma regimens. To complete the initiative, the remaining updates to existing regimen templates within iKnowMed have been completed. For more information, please click [here](#).

Additions

- Azacitidine D1-5,8-9 + Ivosidenib Q28D
- Darbepoetin alfa Q7D (Myelofibrosis)
- Epoetin alfa Q7D (Myelofibrosis)
- FOLFIRINOX (Modified) + Panitumumab Q14D
- Lenalidomide D1-21 +/- Prednisone Q28D
- Nivolumab D1,15 + Fluorouracil CIV D1-5 + Cisplatin Q28D
- Ruxolitinib + Decitabine D8-12 Q28D
- Ruxolitinib Q28D (3 cycles) fb Azacitidine D1-5 + Ruxolitinib Q28D
- Thalidomide +/- Prednisone Q28D
- Topotecan D1,8,15 + Bevacizumab BIOSIMILAR D1,15 Q28D

Updates

Regimens for the following diagnoses have been updated based on the Collaborative Care Committee voting. Changes include but are not limited to reference update, drug infusion instruction updates, renaming of regimens, premedication template updates and number of cycles.

- Amyloidosis
- Multiple Myeloma (MM)

Renames

Previous Name	New Name
Bendamustine D1,2 Q28D	Bendamustine D1,2 Q28D (MM)

Research Regimens

Additions

To support Data Migration, applicable clinical trial regimens for US Oncology Research have been migrated and modified for customers migrating from iKnowMed Generation 1 to iKnowMed Generation 2.

Updates

	Updated Reference Information			
		Updated Drug Service Order Information		
			Updated Regimen Instructions	
			Other Changes	
USOR 18004	X			
USOR 18183	X	X	X	Now available: <ul style="list-style-type: none"> • USOR 18183 BAY 2416964 (PO; TID)
USOR 18263		X		
USOR 18283	X	X		
USOR 19034				Now available: <ul style="list-style-type: none"> • USOR 19034 Part 1 Dostarlimab or Placebo Q42D (Cycle 7+)
USOR 19082		X	X	
USOR 19182	X	X	X	
USOR 19241	X		X	

	Updated Reference Information			Other Changes
	Updated Drug Service Order Information			
	Updated Regimen Instructions			
USOR 20176	X			Now available: <ul style="list-style-type: none"> USOR 20176 Group F INCAGN02385 (D1, 15) + INCAGN02390 (D1, 15) + INCMGA00012 Q28D No longer available: <ul style="list-style-type: none"> USOR 20176 Group E Epacadostat (PO; BID) + INCMGA00012 Q28D
USOR 20245	X		X	Now available: <ul style="list-style-type: none"> USOR 20245 Seribantumab D1,15 Q28D
USOR 20282	X	X		
USOR 20289	X			
USOR 20310	X	X	X	
USOR 20382	X	X	X	
USOR 20384	X	X		
USOR 20396		X	X	
USOR 21281		X	X	
USOR 21455	X	X	X	
USOR 21456	X	X	X	
USOR 21461	X		X	
USOR 21462	X	X	X	
USOR 21468	X	X		
USOR 21536		X		
USOR 21537		X		

Billing & HCPCS Codes

Updates

Medication	HCPCS Code
COVID-19 Vaccine, mRNA, Pediatric (Moderna) (PF) IM (6 yrs thru 11 yrs) (Unapproved)	91309 per <ul style="list-style-type: none">• 0.5 mL• 50 mcg
Ranibizumab-nuna Intravitreal (Byooviz)	Q5124 per <ul style="list-style-type: none">• 0.1 mg
Risankizumab-rzaa IV (Skyrizi)	J3590 per <ul style="list-style-type: none">• 600 mg